

Revision date: (date) 07/23/2019

Version EN 2

Page: 1/7

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<u>Product identifier</u> Hofmann Power Weight Balancing Compound 504

<u>REACH Registr.</u> n°: Exempted in accordance with Annex V.7

Relevant identified uses of the substance or mixture and uses advised against

Mineral based, coated balancing compound for vibration dampening in truck wheels through injection into tubeless truck tires according to current Hofmann Power Weight Balancing Compound application guide.

<u>Details of the supplier of the safety data sheet</u> <u>COMPANY/UNDERTAKING IDENTIFICATION</u> WEGMANN automotive GmbH Rudolf-Diesel-Straße 6 D – 97209 Veitshöchheim Phone N°: +49 931/32104-0

<u>*E-mail of responsible person for SDS:*</u> sds@wegmann-automotive.com

## SECTION 2: HAZARDS IDENTIFICATION

#### *Classification of the substance or mixture*

This product does not meet the criteria for classification as a dangerous substance or mixture as defined in Regulation (EC) 1272/2008.

<u>Regulation EC 1272/2008:</u> No classification

Label elements None

#### Other hazards

This product is an inorganic substance and does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH. Depending on the type of handling and use, respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable crystalline silica dust should be monitored and controlled. This product should be handled with care to avoid dust generation

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Granular quartz, coated with coloured pigmented synthetic resin system.

<u>Main constituent</u> Quartz



Revision date: (date) 07/23/2019

Version EN 2

Page: 2/7

<u>Amount:</u> SiO2 > 98%2/6

<u>*E.I.N.E.C.S.-N*°</u> 238-878-4

<u>*C.A.S.-N*°</u> 014808-60-7

<u>Impurities</u> This product contains less than 1% of quartz (fine fraction), which is classified as STOT RE1.

## SECTION 4: FIRST AID MEASURES

<u>Description of first aid measures</u> <u>EYE CONTACT:</u> Rinse with copious quantities of water and seek medical attention if irritation persists.

<u>INHALATION:</u> Movement of the exposed individual from the area to fresh air is recommended.

<u>INGESTION:</u> No first-aid measure required.

<u>SKIN CONTACT:</u> No special first aid measures necessary.

*Most important symptoms and effects, both acute and delayed* No acute and delayed symptoms and effects are observed.

<u>Indication of any immediate medical attention and special treatment needed</u> No special measure.

### SECTION 5: FIREFIGHTING MEASURES

*Extinguishing media* No specific extinguishing media is needed.

<u>Special hazards arising from the substance or mixture</u> Product self does not burn. In case of a large fire in the environment can arise decompositionsgas CO- and CO2.

<u>Advice for firefighters</u> No specific fire-fighting protection is required.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

<u>Personal precautions, protective equipment and emergency procedures</u> Avoid airborne dust generation, w ear personal protective equipment in compliance with national legislation

<u>ENVIRONMENTAL PRECAUTIONS:</u> No special requirements.

<u>Methods and material for containment and cleaning up</u> Avoid dry sweeping and use water spraying or vacuum cleaning systems to prevent airborne dust generation. Wear personal protective equipment in compliance with national legislation.

<u>Reference to other sections</u> See sections 8 and 13.



Revision date: (date) 07/23/2019

Version EN 2

Page: 3/7

### SECTION 7: HANDLING AND STORAGE

<u>Precautions for safe handling</u> Avoid airborne dust generation. Do not to eat, drink and smoke in work areas; wash hands after use.

## Conditions for safe storage, including any imcompatibilities

Technical measures/Precautions

 $\label{eq:minimise} Minimise airborne dust generation. Keep containers closed and store packaged products so as to prevent accidental bursting. 3/6$ 

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Follow workplace regulatory exposure limits for all types of airborne dust (e.g. total dust, respirable dust, respirable crystalline silica dust).

The OEL (Occupational Exposure Limit) for respirable crystalline silica dust is 0,1 mg/m<sup>3</sup> in the United Kingdom, measured as an 8 hour TWA (Time Weighted Average). For the equivalent limits in other countries, please consult a competent occupational hygienist or the local regulatory authority.

## EXPOSURE CONTROLS:

### Appropriate engineering controls

Minimise airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organisational measures, e.g. by isolating personnel from dusty areas. Remove and w ash soiled clothing.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side-shields in circumstances where there is a risk of penetrative eye injuries.

#### Skin protection

No specific requirement. For hands, see below. Appropriate protection (e.g. protective clothing, barrier cream) is recommended for workers who suffer from dermatitis or sensitive skin.

### HAND PROTECTION:

Appropriate protection (e.g. gloves, barrier cream) is recommended for workers w ho suffer from dermatitis or sensitive skin. Wash hands at the end of each w ork session.

#### **RESPIRATORY PROTECTION:**

In case of prolonged exposure to airborne dust concentrations, w ear a respiratory protective equipment that complies with the requirements of European or national legislation.

The use of half or full face masks with filters against particles of category 2 or 3 (FP2 - FP3) is recommended. See DIN EN 143 Respiratory protective devices - Particle filters in the current issue.

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid wind dispersal.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>Information on basic physical and chemical properties</u> <u>APPEARANCE:</u> Granular



Revision date: (date) 07/23/2019

Version EN 2

Page: 4/7

<u>GRAIN SHAPE:</u> sub-angular

<u>Color</u> different colours

<u>ODOUR:</u> Odourless

<u>Odour threshold</u> Not relevant

<u>Melting point/freezing point</u> 1710°C

<u>RELATIVE DENSITY:</u> 2,65 g/cm<sup>3</sup> 4/6

<u>Solubility(ies)</u> <u>Solubility in water</u> Negligible

<u>Solubility in hydrofluoric acid</u> Yes

<u>Other information</u> no other information

<u>CHANGE OF STATUS:</u> approx. 150 °C decomposition of the synthetic resin film.

## SECTION 10: STABILITY AND REACTIVITY

<u>Reactivity</u> Inert, not reactive.

<u>Chemical stability</u> Chemically stable

<u>Possibility of hazardous reactions</u> No hazardous reactions.

<u>CONDITIONS TO AVOID:</u> Not relevant

<u>Incompatible materials</u> No particular incompatibility.

<u>HAZARDOUS DECOMPOSITION PRODUCTS:</u> Not relevant

## SECTION 11: TOXICOLOGICAL INFORMATION

<u>Information on toxicological effects</u> <u>Acute toxicity</u> Based on available data, the classification criteria are not met.

<u>Skin corrosion/irritation</u> Based on available data, the classification criteria are not met.

Serious eye damage/irritation



Revision date: (date) 07/23/2019

Version EN 2

Page: 5/7

Based on available data, the classification criteria are not met.

<u>Respiratory or skin sensitisation</u> Based on available data, the classification criteria are not met.

<u>Germ cell mutagenicity</u> Based on available data, the classification criteria are not met.

<u>Carcinogenicity</u> Based on available data, the classification criteria are not met.

<u>Reproductive toxicity</u> Based on available data, the classification criteria are not met.

<u>STOT-single exposure</u> Based on available data, the classification criteria are not met.

<u>STOT-repeated exposure</u> Based on available data, the classification criteria are not met.

<u>Aspiration hazard</u> Based on available data, the classification criteria are not met.

### SECTION 12: ECOLOGICAL INFORMATION

<u>Toxicity</u> Not relevant

<u>Persistence and degradability</u> Not relevant5/6

<u>Bioaccumulative potential</u> Not relevant

<u>Mobility in soil</u> Negligible

<u>Results of PBT and vPvB assessment</u> Not relevant

<u>Other adverse effects</u> No specific adverse effects know n.

### SECTION 13: DISPOSAL CONSIDERATIONS

<u>Waste treatment methods</u> <u>Waste from residues/unused products</u> Where possible, recycling is preferable to disposal. Can be disposed of in compliance with local regulations.

<u>Packaging</u>

Dust formation from residues in packaging should be avoided and suitable worker protection assured. Store used packaging in enclosed receptacles. Recycling and disposal of packaging should be carried out in compliance with local regulations. The re-use of packaging is not recommended. Recycling and disposal of packaging should be carried out by an authorised waste management company.



Revision date: (date) 07/23/2019

Version EN 2

Page: 6/7

#### SECTION 14: TRANSPORT INFORMATION

<u>UN number</u> Not relevant

<u>UN proper shipping name</u> Not relevant

<u>Transport hazard class(es)</u> ADR: Not classified IMDG: Not classified ICAO/IATA: Not classified RID: Not classified

Packing group Not relevant

<u>Environmental hazards</u> Not relevant

Special precautions for user No special precautions.

<u>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</u> Not relevant

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture <u>NATIONAL REGULATIONS:</u> <u>WATER HAZARD CLASS:</u> WGK (identification number 849)

<u>Chemical safety assessment</u> Exempted from REACH Registration in accordance with Annex V.7.

For Germany: TRGS 900 and TRGS 906 have to be observed in their current versions.

For Austria and Switzerland:

The occupational exposure limit (OEL/Occupational Exposure Limit) for alveolar crystalline silica in Austria and Switzerland is 0.15 mg/m<sup>3</sup> (time-weighted average of measurement results of 8 hours). Information on limit values in other countries can be obtained from experts in industrial hygiene or from the competent regulatory authority in the respective country.



Revision date: (date) 07/23/2019

Version EN 2

Page: 6/7

#### SECTION 16: OTHER INFORMATION

This section of the safety data sheet shall contain other information that is not included in Sections 1 to 15, including information on the revision of the safety data sheet such as:

- a) in the case of a revised safety data sheet, a clear indication of where changes have been made to the previous version of the safety data sheet, unless such indication is given elsewhere in the safety data sheet, with an explanation of the changes, if appropriate. A supplier of a substance or mixture shall be able to provide an explanation of the changes upon request;
- b) a key or legend to abbreviations and acronyms used in the safety data sheet;
- c) key literature references and sources for data;
- d) in the case of mixtures, an indication of which of the methods of evaluating information referred to in Article 9 of Regulation (EC) No 1272/2008 was used for the purpose of classification;
- e) a list of relevant hazard statements and/or precautionary statements. Write out the full text of any statements which are not written out in full under Sections 2 to 15;
- f) advice on any training appropriate for workers to ensure protection of human health and the environment.