

Safety Data Sheet

according to Regulation (EU) 2020/878 Issue date: 17/11/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Pre-Buff Cleaner
Product code : H-816F/QT

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Rubber

Cleaner

1.2.2. Uses advised against

Restrictions on use : No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

WEGMANN automotive GmbH Rudolf-Diesel-Strasse 6

DE-97209 Veitshoechheim - Germany

1.4. Emergency telephone number

Emergency number : CHEMTREC

EMEA: +44 20 3885 0382; Local : +353 1 901 4670, +44 20 3807 3798 APAC: +65 3163 8374; Local: +61 2 9037 2994, 1800 862 115 (Toll Free)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Skin corrosion/irritation, Category 2 H315 Specific target organ toxicity – Single exposure, Category 3, Narcosis

Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02







GHS08

GHS09

Signal word (CLP) : Dang

Contains : Heptane, branched, cyclic and linear; Heptane Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

 $\mbox{\rm H304}$ - $\mbox{\rm May}$ be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

Safety Data Sheet

according to Regulation (EU) 2020/878

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P280 - Wear protective clothing/eye protection/face protection, protective gloves.

P261 - Avoid breathing dust, fume, gas, mist, spray, vapours.

P271 - Use only outdoors or in a well-ventilated area.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Heptane, branched, cyclic and linear (Note P)	CAS-No.: 64742-49-0 EC-No.: 927-510-4 EC Index-No.: 649-328-00-1 REACH-no: 01-2119475515- 33	> 80 - < 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Heptane (Note C)	CAS-No.: 142-82-5 EC-No.: 205-563-8 EC Index-No.: 601-008-00-2	< 5	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the

supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note P: Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than

0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note

applies only to certain complex oil-derived substances in Part 3.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If experiencing respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact

: Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

17/11/2023 (Issue date) IE - en 2/13

Safety Data Sheet

according to Regulation (EU) 2020/878

First-aid measures after ingestion

: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting/risk of damage to lungs exceeds poisoning risk. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: May cause drowsiness or dizziness. In high concentrations vapours cause anaesthetic and narcotic effect.

Symptoms/effects after skin contact

Causes skin irritation. Redness. Itching. Swelling.

Symptoms/effects after eye contact

: Lacrimation. redness, itching, tears. Blurred vision.

Symptoms/effects after ingestion

May be fatal if swallowed and enters airways. Ingestion may cause nausea and vomiting. Swallowing the liquid may cause aspiration into the lungs with the risk of chemical

pneumonitis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Dry powder. Carbon dioxide. Water spray. Foam. Use extinguishing agent suitable for

surrounding fire.

Unsuitable extinguishing media

: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Highly flammable liquid and vapour. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours. Heating will cause a rise in pressure with a risk of bursting. In case of fire and/or explosion do not breathe fumes.

Hazardous decomposition products in case of fire

Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions

: Evacuate the danger area. Eliminate all ignition sources if safe to do so. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers. Fight fire from safe distance and protected location. Use extinguishing media appropriate for surrounding fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: No flames, no sparks. Eliminate all sources of ignition. Use special care to avoid static electric charges. Avoid all contact with skin, eyes, or clothing.

6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures

: Evacuate unnecessary personnel. Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing vapours. Do not touch or walk on the spilled product. No action shall be taken without appropriate training or involving any personal risk.

6.1.2. For emergency responders

Protective equipment Emergency procedures : Do not attempt to take action without suitable protective equipment.

: Evacuate unnecessary personnel. Use non-sparking tools. Ventilate area.

17/11/2023 (Issue date) IE - en 3/13

Safety Data Sheet

according to Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Remove ignition sources. Caution: this product

Use non-sparking tools.

can cause the floor to be slippery.

Methods for cleaning up : Move containers from spill area. Small quantities of liquid spill: take up in non-combustible

absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Clean contaminated surfaces with an excess of water. Prevent entry to sewers and public waters.

Other information : Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Take all necessary technical measures to avoid or minimize the release of the product on

the workplace. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Do not breathe vapours. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Eliminate all ignition sources if safe to do so. Take precautionary measures against static discharge. Use explosion-proof equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not

re-use container for any purpose.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight, Strong oxidizers. Store in a dry place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feedingstuffs. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store in accordance with local, regional, national or international regulation. Do not store in unlabelled containers.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Heptane (142-82-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name n-Heptane		
IOEL TWA	2085 mg/m³	

Safety Data Sheet

according to Regulation (EU) 2020/878

Heptane (142-82-5)			
IOEL TWA [ppm]	500 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Ireland - Occupational Exposure Limits			
Local name	n-Heptane		
OEL TWA [1]	2085 mg/m³		
OEL TWA [2]	500 ppm		
Remark	IOELV (Indicative Occupational Exposure Limit Values)		
Regulatory reference	Chemical Agents Code of Practice 2021		

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Refer to all applicable national, international and local regulations or provisions. Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation. Ensure exposure is below occupational exposure limits (where available). Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. ISO 16321-1

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

Hand protection:

Wear suitable gloves resistant to chemical penetration. ISO 374-1. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

8.2.2.3. Respiratory protection

Respiratory protection:

An approved organic vapour respirator/supplied air or self-contained breathing apparatus must be used when vapour concentration exceeds applicable exposure limits. EN 149

Safety Data Sheet

according to Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Not available
Appearance : clear.

Odour : strong. solvent-like.
Odour threshold : Not available
Melting point : Not available
Freezing point : Not available
Boiling point : 88 °C (190 °F)

Flammability : Highly flammable liquid and vapour.

Lower explosion limit: 1.2 vol %Upper explosion limit: 6.7 vol %Flash point: -9 °C (15 °F)Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not available

Viscosity, kinematic : 0.83 mm²/s @ 15.6°C

: Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : 119 mm Hg @ 20 °C Vapour pressure Vapour pressure at 50°C : Not available Density : 0.69 g/cm3 @ 20 °C Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : > 1 VOC content : 691 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour. Can form explosive mixtures with air. Heating may cause a fire or explosion.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerisation: Will not occur.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Protect from sunlight. Overheating. Extremely high or low temperatures. No flames, no sparks. Eliminate all sources of ignition.

Safety Data Sheet

according to Regulation (EU) 2020/878

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

1. Not classified (Based on available data, the classification criteria are not met)

1. Acute toxicity (dermal)

1. Not classified (Based on available data, the classification criteria are not met)

1. Acute toxicity (inhalation)

1. Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation)	Not classified (Based on available data, the classification criteria are not met)		
Heptane, branched, cyclic and linear (6474	2-49-0)		
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
LC50 Inhalation - Rat (Vapours)	> 4.42 mg/l/4h		
Heptane (142-82-5)			
LD50 oral rat	> 5000 mg/kg		
LD50 oral	5000 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
LD50 dermal	3000 mg/kg		
LC50 Inhalation - Rat (Vapours)	> 29.29 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)		
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	: May cause drowsiness or dizziness.		
Heptane, branched, cyclic and linear (6474	2-49-0)		
STOT-single exposure	May cause drowsiness or dizziness.		
Heptane (142-82-5)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)		

STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure :	Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard :	May be fatal if swallowed and enters airways.		
Pre-Buff Cleaner			
Viscosity, kinematic	0.83 mm²/s @ 15.6°C		
Heptane, branched, cyclic and linear (64742-49-0)			
Viscosity, kinematic	0.83 mm ² /s (15.6 °C)		

Safety Data Sheet

according to Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

Other information

: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic) Additional information

: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

Heptane, branched, cyclic and linear (64742-49-0)			
EC50 - Crustacea [1] 4.5 mg/l (Daphnia magna)			
ErC50 algae 3.1 mg/l (72h, Selenastrum capricornutum)			
NOEC chronic crustacea 10 mg/l (10d, Daphnia magna)			
Heptane (142-82-5)			
LC50 - Fish [1]	4 mg/l (Carassius auratus)		
EC50 - Crustacea [1]	1.15 mg/l		

12.2. Persistence and degradability

Pre-Buff Cleaner		
Persistence and degradability Biodegradability in water: no data available.		
Heptane (142-82-5)		
Persistence and degradability	Readily biodegradable.	

12.3. Bioaccumulative potential

Pre-Buff Cleaner		
Bioaccumulative potential No data available concerning bioaccumulation.		
Heptane (142-82-5)		
Bioconcentration factor (BCF REACH)	552	

12.4. Mobility in soil

Pre-Buff Cleaner	
Ecology - soil	No additional information available.

Safety Data Sheet

according to Regulation (EU) 2020/878

Heptane (142-82-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.38

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Additional information

Ecology - waste materials

Sewage disposal recommendations

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Do not dispose of waste into sewer.

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Do not dispose of the packaging without first carrying out the necessary cleaning. Do not pierce or burn, even

after use.

: Flammable vapours may accumulate in the container.

Avoid release to the environment.

: Disposal must be carried out using appropriate EWC code

SECTION 14: Transport information

European List of Waste (LoW, EC 2000/532)

accordance with ADR / IMDG / IATA / ADN / RID

In accordance with ADR / IMDG / IATA / ADN / RID					
ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 1206	UN 1206	UN 1206	UN 1206	UN 1206	
14.2. UN proper shippin	g name				
HEPTANES	HEPTANES	Heptanes	HEPTANES	HEPTANES	
Transport document descr	iption				
UN 1206 HEPTANES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1206 HEPTANES, 3, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1206 Heptanes, 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard	class(es)				
3	3	3	3	3	
**************************************		1 1 1 1 1 1 1 1 1 1	**************************************		
14.4. Packing group					
II	II	II	II	II	

Safety Data Sheet

according to Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 2Special provisions for carriage - Operation (ADR): S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates : 33

1206

Tunnel restriction code (ADR) : D/E

Transport by sea

Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP2 : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-D Stowage category (IMDG) : B

Properties and observations (IMDG) : Colourless, volatile liquids. Explosive limits: 1.1% to 6.7% n-HEPTANE: flashpoint -4°C c.c.

Immiscible with water. Irritating to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) 60L ERG code (IATA) ЗН

Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, E

Equipment required (ADN) : PP, EX, A Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

Safety Data Sheet

according to Regulation (EU) 2020/878

Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : 691 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

Safety Data Sheet

according to Regulation (EU) 2020/878

Abbreviations and acronyms:			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BLV	Biological limit value		
CAS-No.	Chemical Abstract Service number		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
EC-No.	European Community number		
EN	European Standard		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		
WGK	Water Hazard Class		

Data sources

: ECHA (European Chemicals Agency). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and all its amendments and modifications. Supplier's safety documents.

Training advice

: Training staff on good practice.

Full text of H- and EUH-statements:			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Asp. Tox. 1	Aspiration hazard, Category 1		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		

Safety Data Sheet

according to Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H336	May cause drowsiness or dizziness.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Flam. Liq. 2	H225	On basis of test data		
Skin Irrit. 2	H315	Calculation method		
STOT SE 3	H336	Calculation method		
Asp. Tox. 1	H304	Weight of evidence		
Aquatic Chronic 2	H411	Calculation method		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.